



» DIAMOND PLATE LIGHT BARS (BLACK)



- » Available in 2", 4", 6", 10", 12, 20", 30", 40" and 50" lengths
- » Power range: 12 300 watts
- » 6063 extruded aluminum housing with die-cast ends
- » Dust and moisture resistant
- » Raw Lumens: 800 27,000
- » Includes mounting hardware and pigtail connector
- » Available in Flood and Combo beam









- » Available in 4.8" x 3.6" size
- » Power output: 12 watts
- » Includes die-cast aluminum housing
- » Dust and moisture resistant
- » Raw Lumens: 1,080
- » Includes mounting hardware and pigtail connector
- » Available in Flood beam







- » 6.3" LED flush mount light with (6) 3W Osram chips
- » Power output: 18 watts
- » Includes die-cast aluminum housing
- » Dust and moisture resistant
- » Raw Lumens: 1,320
- » Includes mounting hardware and pigtail connector
- » Available in Flood beam









WESTIN' (LED LIGHT BARS

HAROMANGA

» HP LOW PROFILE DOUBLE ROW



- » Available in 2", 4", 6", 10", 20", 30", 40" and 50" lengths
- » Power range: 12 300 watts
- » 6063 extruded aluminum housing with die-cast ends
- » Dust and moisture resistant
- » GORE® pressure equalizing vent
- » Raw Lumens: 1,500 23,000
- » Includes wiring harness with connector, switch, relay and in-line fuse
- » Includes side mount brackets and hardware
- » Available in Flood or Flex beam



» XP LOW PROFILE SINGLE ROW



- » Available in 6", 10", 20", 30", 40" and 50" lengths
- » Power range: 30 250 Watts
- » 6063 extruded aluminum housing with die-cast ends
- » Dust and moisture resistant
- » GORE® pressure equalizing vent
- » Raw Lumens: 3,000 21,500
- » Includes wiring harness with connector, switch, relay and in-line fuse
- » Includes side mount brackets and hardware
- » Available in Flood or Flex beam



» IP SINGLE ROW



- » 12" bar utilizes (6)10W Cree chip for high intensity light output
- » Power output: 60 watts
- » Dust and moisture resistant
- » HD die-cast aluminum housing with vertical heat sink fins
- » Raw Lumens: 7.500
- » Includes side mount brackets, hardware and pigtail connector
- » Available in Flood or Flex beam



» EF FLEX BEAM LIGHT BAR **3W FPISTAR**



- » 5.5" bar with (5) 3W Epistar chips
- » Power output: 15 watts
- » Dust and moisture resistant
- » Compact light ideal for ATVs
- » Raw Lumens:1,850
- » Includes pigtail connector
- » Available in Flex beam
- » Available in Pair Pack (Set of 2)



» EF DOUBLE ROW



- » Available in 6", 10", 15", 20", 30", 40" and 50" lengths
- » Power range: 18 180 watts
- » 6063 extruded aluminum housing with die-cast ends
- » Dust and moisture resistant
- » GORE® pressure equalizing vent
- » Raw Lumens: 2,250 13,500
- » Includes C-clamp post mount brackets
- » Optional side mount brackets available
- » Available in Flood or Flex beam





» EF LOW PROFILE DOUBLE ROW **3W EPISTAR**



- » Available in 6", 12", 20", 30", 40" and 50" lengths
- » Power range: 36 280 Watts
- » Dust and moisture resistant
- » Raw Lumens: 2.150 19.200
- » Includes side mount brackets, hardware and pigtail connector
- » Available in Combo or Spot beam

LED ACCESSORIES: » SINGLE AND DOUBLE ROW LIGHT COVERS





» LED WIRING HARNESS



» Double row side mount brackets









» IP LED AUXILIARY LIGHTS 10W CREE





- » Available in two styles: 6.1" and 6.5"
- » 10W Cree LED chips
- » Power range: 60 80 Watts
- » Dust and moisture resistant
- » Raw Lumens: 5,400 7,200
- » Includes die-cast aluminum housing
- » Pivoting base mount brackets
- » Includes pigtail connector
- » Available in Flood or Spot beam



» MP LARGE OPTIC LED AUXILIARY LIGHTS 25W CREE





- » Available in round (3.4") and square (3.4")
- » 25W Cree LED chips for high intensity output
- » Beam distance that can reach up to 1,372 feet (Spot)
- » Dust and moisture resistant
- » Raw Lumens: 2.120
- » Includes die-cast aluminum housing
- » Pivoting base mount brackets
- » Includes pigtail connector
- » Available in Flood or Spot beam



» HP LED AUXILIARY LIGHTS







- » Available in round (4.7") and square (4.6")
- » 3W Osram LED chips
- » Power output: 27 watts
- » Dust and moisture resistant
- » Raw Lumens: 2,025
- » Includes die-cast aluminum housing
- » Pivoting base mount brackets
- » Includes pigtail connector
- » Available in Flood or Spot beam





» SP LED AUXILIARY LIGHT SW DSRAM



- » Available in 4.4" x 4.2" size
- » (7) 5W Osram LED chips
- » Ideal for RVs or work trucks
- » Power output: 35 watts
- » Dust and moisture resistant
- » Raw Lumens: 3,485
- » Includes die-cast aluminum housing
- » Pivoting base mount bracket
- » Includes pigtail connector
- » Available in Flood or Spot beam

RANGER

» IP LED AUXILIARY LIGHTS 10W CREE



- » Available in four styles: 2.6" x 3.1", 2.4" x 2.8", 4.8" x 3.5" and 4.2" x 2.4"
- » 10W Cree LED chips
- » Power range: 10 20 watts
- » Dust and moisture resistant
- » Raw Lumens: 900 1,800
- » Includes die-cast aluminum housing
- » Pivoting base mount brackets
- » Includes pigtail connector
- » Available in Flood or Spot beam

» XP COMPACT LED AUXILIARY LIGHT SW CREE





- » Available in 3.0" x 2.6" size
- » (4) 5W Cree LED chips
- » Power output: 20 watts
- » Dust and moisture resistant
- » Raw Lumens: 1.820
- » Includes die-cast aluminum housing
- » Pivoting base mount bracket
- » Includes pigtail connector
- » Available in Flood or Spot beam

WESTIN



SWIVEL LED

» SM LED WORK UTILITY LIGHT **5W OSRAM**



- » Available in 5.7" x 4.7" diameter (handle down)
- » Magnetic base swivels and pivots for quick repositioning
- » Power output: 40 watts
- » Dust and moisture resistant
- » Raw Lumens: 3,984
- » Includes 12v vehicle connector
- » Available in Flood beam

HD ROUND LED

» EF LED WORK UTILITY LIGHT **3W EPISTAR**



- » 4.7" diameter size
- » Durable ABS housing
- » Power output: 27 watts
- » Dust and moisture resistant
- » Raw Lumens: 1,450
- » Includes pigtail connector
- » Available in Flood beam

HD SQUARE LED

» EF LED WORK UTILITY LIGHT **3W EPISTAR**



- » 4.4" x 4.7" diameter size
- » Durable ABS housing
- » Power output: 27 watts
- » Dust and moisture resistant
- » Raw Lumens: 1,450
- » Includes pigtail connector
- » Available in Flood beam



ROUND LED

» EF LED WORK UTILITY LIGHTS **3W EPISTAR**





- » Available 4.6" diameter size (6-LED configuration)
- » Available 4.9" diameter size (9-LED configuration)
- » Power range: 18 27 Watts
- » Dust and moisture resistant
- » Raw Lumens: 950 1,450
- » Includes pigtail connector
- » Available in Flood or Spot beam

SQUARE LED

» EF LED WORK UTILITY LIGHTS **3W EPISTAR**





- » Available 4.3" x 5.0" diameter size (5-LED configuration)
- » Available 4.6" x 5.3" diameter size (9-LED configuration)
- » Power range: 15 27 watts
- » Dust and moisture resistant
- » Raw Lumens: 800 1.450
- » Includes pigtail connector
- » Available in Flood or Spot beam







FOAM GASKETS INCLUDED TO PROTECT VEHICLE FINISH





FOAM GASKETS INCLUDED TO

OVERHEAD LED LIGHT HOOP

- » Stainless steel fasteners for superior corrosion protection
- » Side mount brackets to install 50" LED Bar
- » Pre-drilled for wire management
- » Lower pillar light mounting points for single post lights
- » Textured black finish compliments OEM vehicle trim
- » Foam gaskets included to protect vehicle finish
- » Bolt-on installation no drilling required

FINISH: Textured Black MATERIAL: Steel WARRANTY: 3 Year

» PART NO. 09-41005

PILLAR LED LIGHT MOUNT

- » Made of 7 gauge mild steel to sustain the weight of a 50" Light Bar
- » Stainless steel fasteners for superior corrosion protection
- » Textured black finish compliments OEM vehicle trim
- » Foam gaskets included to protect vehicle finish
- » Bolt-on installation no drilling required

FINISH: Textured Black

MATERIAL: Steel Warranty: 3 Year » PART NO. 09-41035





HD LOWER PILLAR LIGHT MOUNTS

» SOLD IN SET OF 2

- » Lightweight solid platform made of cast aluminum
- » Stainless steel fasteners for superior corrosion protection
- » Textured black finish compliments OEM vehicle trim
- » Cast with wire management channel
- » Foam gaskets included to protect vehicle finish
- » Bolt-on installation no drilling required

FINISH: Textured Black MATERIAL: Die-cast Aluminum

» PART NO. 09-41045

WARRANTY: 3 Year



HD LED HOOD MOUNT

» SOLD IN SET OF 2

- » Stainless steel fasteners for superior corrosion protection
- » Easily installs directly to existing hood hinge bolt locations
- » Low profile design does not obstruct drivers view
- » Includes brackets to relocate windshield squirter
- » Textured black finish compliments OEM vehicle trim
- » Foam gaskets included to protect vehicle finish
- » Bolt-on installation no drilling required

FINISH: Textured Black

WARRANTY: 3 Year

MATERIAL: Die-cast Aluminum » PART NO. 09-41015



HD LED COWL MOUNT*

» SOLD IN SET OF 2

- » Stainless steel fasteners for superior corrosion
- » Mounts directly to existing cowl bolt locations
- » Textured black finish compliments OEM vehicle trim
- » Foam gaskets included to protect vehicle finish
- » Bolt-on installation no drilling required *Fits single LED Bar only

FINISH: Textured Black

MATERIAL: Die-cast Aluminum » PART NO. 09-41025

WARRANTY: 3 Year





BUMPER MOUNT LIGHT BAR

- » Textured black finish compliments OEM vehicle trim
- » Light tabs mount up to 3 single post lights or (1) 20" Light Bar
- » Design does not obstruct headlights
- » Bolt-on installation no drilling required

FINISH: Textured Black MATERIAL: Steel WARRANTY: 3 Year

» PART NO. 09-41055



BUMPER MOUNT 30" LED BAR

» SOLD IN SET OF 2

- » Design does not obstruct headlights
- » Textured black finish compliments OEM vehicle trim
- » Bolt-on installation no drilling required

FINISH: Textured Black MATERIAL: Steel WARRANTY: 3 Year

» PART NO. 09-41065